KEECH

KEECH 6-SERIES KEESHARP™ GET SYSTEM

Environmental Management · ISO14001
Global-Mark.com.au®

Quality Management · ISO 9001
Global-Mark.com.au®

OHS Management · AS/NZS 4801
Global-Mark.com.au®

DERWENT
BENDIGO MANUFACTURING

KEESHARP™ GET SYSTEM

When you need to keep your machines working and productivity high, rely on the proven advantages of a Keesharp™ system, only from Keech. Keesharp's™ light weight, self-sharpening design is made from Keech's new superior KS steel, making it tougher, longer lasting and more reliable. Keesharp™ bucket teeth and bucket edge systems are available for a range of machine sizes from 90 to 360 tonnes. Ideal for a variety of applications where you need to maintain bucket availability, teeth are quickly and easily replaced using the patented Keelock™ system. With a completely hammerless, balanced design Keesharp™ is sought after for its longer lasting properties, increased strength and easy on/easy off operation.

Test proven benefits of the KeesharpTM GET system include:

- Increased digging load capacity
- Increased load bearing
- Extended operational life
- Increased nose strength by 30%
- Increased safety margins

1 INTEGRATED WEAR CAP

- Mechanically attached
- Retained by tooth
- Reduced wear
- Reduced downtime

2 NEW NOSE DESIGN

- Stronger
- Improved fitment
- Larger load bearing area
- Increased retainer strength
- Easier maintenance
- Increases machine uptime and productivity

3 NEW SUPERIOR STEEL

- Abrasion resistant
- Improved wear life
- Reduced downtime costs

4 INCREASED STRENGTH

- Can withstand peak/impact loads
- Higher reliability
- Longer life
- Resistant to wear and breakages

5 DYNAMIC PROFILE

- Increased penetration
- Better digging capacity
- Reduces fuel usage
- Saves time and money



® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

6-SERIES



6 FLOW DYNAMICS INCORPORATED

- Efficient digging
- Stay Sharp self-sharpening profile in service

7 REINFORCED BOX SECTION

- Withstands higher impacts
- Suitable for harsh digging conditions

8 PRODUCT VALIDATED THROUGH DESTRUCTIVE TESTS

- Verified safety factors
- Strong and reliable
- Longer lasting

9 PATENTED KEELOCK™ SYSTEM

- One piece
- Completely hammerless
- Fast changeout
- Safe and secure
- Less downtime
- Less maintenance

Keesharp™ 6-series GET is available in 4 sizes to suit all popular makes and models of excavators and wheel loaders.

® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

KEELOCK™ RETENTION SYSTEM

Introducing the revolutionary new Hammerless GET retainer, the patented Keelock™ system.

Keech has removed the opportunity for thread corrosion and assembly difficulties by eliminating nuts, bolts and threads. Keelock™ is an **extremely fast, hammerless, safe and efficient system** that is compatible with all existing Keech GET. With GET change out occuring as often as every 40 hours, Keelock™ has been designed to **save customers thousands of dollars in lost revenue**. Keelock™ can be installed in an instant and removed in less than a quarter of the time required by other systems. Field tested for all applications on all types of machines, Keelock™ has proven its worth as a productivity booster.

1 RAPID CHANGE OUT

- Extremely fast
- Hammerless system
- Safe & secure
- Reduced downtime costs

2 ONE PIECE RETAINER

- No assembly required
- No nuts, bolts or threads

3 RETROFIT

- Compatible with all Keech GET Systems

4 TAPERED FACES

- Easy installation & removal
- Increased safety

5 HAMMERLESS

- Keelock™ can be installed in an instant.
- No special tools required.

6 SECURE SYSTEM

- Lock extends securing Keelock™ into position

7 RAPID REMOVAL

- Compatible with existing tools for easy removal



® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

KEESHARP™ GET WITH KEELOCK™ RETAINING SYSTEM

Keech 6-Series KeesharpTM GET System covers all applications and various lip configurations.
Also available are additional Keech lip and wing shrouds.







WING SHROUD

LIP SHROUD



® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

EXCAVATORS

From open pit mining and digging to construction and earthmoving, Keesharp™ offers a range of point styles and sizes to suit applications from general purpose through to heavy duty high abrasion conditions. The specialised design of the Keesharp™ tooth profile means it becomes even sharper with wear, increasing efficiency with use and providing a longer life than its competitors.

TOOTH STYLES

HEAVY PENETRATION
HP

Sizes:
627
637
647
657



LONG PENETRATION
LP

Sizes:
627
637
647
657



EXTRA PENETRATION
XP

Sizes:
627
637
647
657



WHEEL LOADERS

TOOTH STYLES

LOADER HEAVY PENETRATION
LHP

Sizes:
627
637
647
657



LOADER HEAVY ABRASION
LHA

Sizes:
627
637
647
657



® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

MACHINE BREAK OUT FORCE

KEECH 6-series GET	Lip size (mm)	Hydraulic hoe (kN)		Wheel loader (kN)		Hydraulic face shovel (kN)	
		STD.HD	XHD	STD	XHD	STD.HD	XHD
627	90	546	424	972	772	625	487
637	100	751	582	1335	1060	858	667
647	120	896	694	N/A	N/A	1024	796.5
657	140	1093	846	N/A	N/A	1249	971



® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

WHY CHOOSE KEESHARP™

✓ SAVES MONEY

- Reduced maintenance cost
- Better bucket penetration

✓ SAVES TIME

- Fast changeout time
- Increased reliability

✓ BOOSTS PRODUCTIVITY

- Increased safety
- Increased production

Speak to our team today:
Call 1300 453 324

KEESHARP™

DESIGNED AND MADE IN AUSTRALIA FOR THE TOUGHEST WORK IN EARTH

Email: orders.bendigo@derwentindustries.com.au
www.derwentindustries.com.au
Phone: +61 (3) 5443 8233
or 1300 453 324
30-46 Powell Street, Bendigo VIC 3175 Australia

KEECH

"Conditions specific to individual sites mean performance of field installed products will vary. Installation procedures, operating conditions, material conditions, wear and tear, and maintenance will affect performance and are considered factors outside the control of Keech © All rights reserved.
® Copyright by Derwent Industries Pty Ltd Derwent Industries reserves the right to change product designs and specifications without notice E & O.E

Information correct as at August 2025.